

Suicide Hospitalizations

Suicide Hospitalizations

- Most recent data (2012): 39.9 hospitalizations per 100,000, including 804 admissions.
- Trend over time: 2000-12: flat
- Description: Includes non-fatal hospitalizations for suicide

Suicide hospitalizations, King County, 2008-2012 average

	Rate	Lower CI	Upper CI	Count per Year
King County (all ages)	41.5	40.3	42.8	834
AGE				
<18	17.8	16.1	19.7	74
18-24	70.4	65.0	76.1	125
25-44	57.9	55.2	60.7	354
45-64	47.2	44.6	49.9	246
65+	16.9	14.5	19.5	36
GENDER				
Male	33.1	31.5	34.8	338
Female	50.2	48.3	52.3	496
RACE/ETHNICITY				
AIAN	N/A	N/A	N/A	N/A
Asian	N/A	N/A	N/A	N/A
Black	N/A	N/A	N/A	N/A
Hispanic	N/A	N/A	N/A	N/A
Multiple	N/A	N/A	N/A	N/A
NHPI	N/A	N/A	N/A	N/A
White	N/A	N/A	N/A	N/A
NEIGHBORHOOD POVERTY				
High	72.8	66.2	80	94
Medium	40.6	39.2	42.0	646
Low	33.0	29.8	36.4	83
REGION				
East	34.7	32.3	37.3	157
North	46.9	42.3	52.0	78
Seattle	48.8	46.4	51.3	323
South	38.9	36.9	41.1	276


Comparisons:

- Higher than King County rate (yellow)
- Lower than King County rate (green)

Notes:

Source: WAState DOH, Office of Hospital and Patient Data Systems.
 Prepared by Public Health - Seattle & King County, APDE, 12/2014.
 *Rate = cases per 100,000 population, age-adjusted to the 2000 US population.
 N/A: Not available.
 CI is 95% Confidence Interval.
 * Too few cases to protect confidentiality and/or report reliable rates.
 § Too few cases to meet precision standard, interpret with caution.
 Data by race/ethnicity not available.

Suicide hospitalizations King County, 2008-2012 average



Source: WA State DOH, Office of Hospital and Patient Data Systems.

Prepared by Public Health - Seattle & King County, APDE, 12/2014.

[^]Rate = cases per 100,000 population, age-adjusted to the 2000 US population.

|-----| Confidence interval shows range that includes true value 95% of the time.

* Too few cases to protect confidentiality and/or report reliable rates.

§ Too few cases to meet precision standard, interpret with caution.

Data by race/ethnicity not available.

Poverty = Neighborhood poverty levels defined by median household income.

Suicide hospitalizations by comparison areas

There is no Healthy People 2020 Objective for suicide hospitalizations .

	Latest Available Year	Rate	Lower CI	Upper CI
United States	N/A	N/A	N/A	N/A
WA State	2012	51.4	49.7	53.2
King County	2012	39.9	37.1	42.8

Notes:

Source: WA State DOH, Office of Hospital and Patient Data Systems.


Prepared by Public Health - Seattle & King County, APDE, 12/2014.

*Rate = cases per 100,000 population, age-adjusted to the 2000 US population.

N/A: Not available.


CI is 95% Confidence Interval.

Suicide hospitalizations by comparison areas



Source: WA State DOH, Office of Hospital and Patient Data Systems.
Prepared by Public Health - Seattle & King County, APDE, 12/2014.
[^]Rate = cases per 100,000 population, age-adjusted to the 2000 US population.
|-----| Confidence interval shows range that includes true value 95% of the time.

**Suicide hospitalizations by zip codes
King County, 2008-2012 average**




Source: WA State DOH, Office of Hospital and Patient Data Systems.

Prepared by Public Health - Seattle & King County, APDE, 12/2014.

^aRate = cases per 100,000 population, age-adjusted to the 2000 US population.

Suicide hospitalizations King County, 2000-2012, three-year rolling averages



Source: WA State DOH, Office of Hospital and Patient Data Systems.
 Prepared by Public Health - Seattle & King County, APDE, 12/2014.
^aRate = cases per 100,000 population, age-adjusted to the 2000 US population.